


# Schnittbandkerne

# Tape wound cores

aus eisenamorphem Band 0,05mm.

made from iron-based amorphous ribbon 0,05mm.



a-core build;  
 b-window width;  
 c-window height;  
 d-strip width;  
 e-core width;  
 f-core length;

Type	Core build		Window width	Window length	Core						Mean magnetic path	Net Area	Window Area	Area product	Nominal weight of
	a	±			Height		Width		Length						
	mm		b	c	d	±	e	±	f	±	Lm	Ac	Wa	Ap	~(g)
			mm	mm	mm		mm		mm		cm	cm <sup>2</sup>	cm <sup>2</sup>	cm <sup>4</sup>	
MAR 4	9,0	0,5	10,0	32,8	15,0	0,5	28,0	1,5	50,8	1,5	11,2	1,2	3,3	3,9	97,0
MAR 6.3	10,0	0,5	11,0	33,0	20,0	0,5	31,0	1,0	53,0	2,0	11,8	1,8	3,6	6,5	150,0
MAR 8	11,0	0,8	13,0	30,0	20,0	0,5	35,0	1,0	52,0	2,0	11,9	2,0	3,9	7,6	167,0
MAR 10	11,0	0,8	13,0	40,0	20,0	0,5	35,0	1,0	62,0	2,0	13,7	2,0	5,2	10,2	193,0
MAR 16A	11,0	0,8	13,0	40,0	25,0	0,5	35,0	1,0	62,0	2,0	13,7	2,5	5,2	12,7	242,0
MAR 16B	11,0	0,8	13,0	50,0	25,0	0,5	35,0	1,0	72,0	2,0	15,7	2,5	6,5	15,9	276,0
MAR 20	11,0	0,8	13,0	50,0	30,0	0,5	35,0	1,0	72,0	2,0	15,7	2,9	6,5	19,1	331,0
MAR 25	13,0	0,8	15,0	56,0	25,0	0,5	41,0	1,0	82,0	2,0	17,9	2,9	8,4	24,3	372,0
MAR 32	13,0	0,8	15,0	56,0	30,0	0,5	41,0	1,0	82,0	2,0	17,9	3,5	8,4	29,2	447,0
MAR 40	13,0	0,8	15,0	56,0	35,0	0,5	41,0	1,0	82,0	2,0	17,9	4,1	8,4	34,0	521,0
MAR 50	16,0	1,0	20,0	70,0	25,0	0,5	52,0	1,0	102,0	3,0	22,7	3,7	14,0	49,8	580,0
MAR 60	14,4	0,8	25,0	83,0	40,0	0,5	60,0	1,0	80,8	2,0	20,8	3,8	16,2	62,4	574,0

Type	Core build		Window width	Window length	Core						Mean magnetic path	Net Area	Window Area	Area product	Nominal weight of
					Height		Width		Length						
	a	±	b	c	d	±	e	±	f	±	Lm	Ac	Wa	Ap	~(g)
	mm		mm	mm	mm		mm		mm		cm	cm <sup>2</sup>	cm <sup>2</sup>	cm <sup>4</sup>	
MAR 63	16,0	1,0	20,0	70,0	30,0	0,5	52,0	1,0	102,0	3,0	22,7	4,3	14,0	59,8	795,0
MAR 80	16,0	1,0	20,0	70,0	40,0	1,0	52,0	1,0	102,0	3,0	22,7	5,7	14,0	79,7	927,0
MAR 100	16,0	1,0	20,0	70,0	45,0	1,0	52,0	1,0	102,0	3,0	22,7	6,4	14,0	89,7	1043,0
MAR 125	19,0	1,0	25,0	83,0	35,0	0,5	63,0	1,0	121,0	3,0	27,2	5,9	20,8	122,8	1157,0
MAR 168S	20,4	0,5	30,0	154,2	20,0	0,5	70,8	1,0	195,0	4,0	42,9	3,6	46,3	168,0	1118,0
MAR 200	19,0	1,0	25,0	83,0	50,0	1,0	62,0	1,0	121,0	3,0	27,2	8,5	20,8	175,4	1652,0
MAR 250	19,0	1,0	25,0	90,0	60,0	1,0	62,0	1,0	128,0	3,0	28,6	10,2	22,5	228,3	2085,0
MAR 320	22,0	1,0	35,0	85,0	50,0	1,0	79,0	1,0	129,0	4,0	30,6	9,8	29,8	291,3	2148,0
MAR 367S	25,8	1,0	67,0	97,0	25,0	0,5	118,6	1,5	149,4	4,0	40,6	5,7	65,5	376,2	1671,0
MAR 400	22,0	1,0	35,0	85,0	65,0	1,0	79,0	1,0	129,0	3,0	30,4	12,7	29,8	378,6	2777,0
MAR 500	25,0	1,0	40,0	85,0	55,0	1,0	90,0	1,0	135,0	3,0	32,3	12,2	34,0	416,1	2841,0
MAR 630	25,0	1,0	40,0	85,0	70,0	1,0	90,0	1,0	135,0	4,0	32,3	15,6	34,0	529,6	3615,0
MAR 800A	25,0	1,0	40,0	85,0	85,0	1,5	90,0	1,0	135,0	4,0	32,3	18,9	34,0	643,0	4390,0
MAR 800B	30,0	1,0	40,0	95,0	85,0	1,5	100,0	1,0	155,0	4,0	35,9	22,4	38,0	852,7	5784,0
MAR 1000	33,0	1,0	40,0	105,0	85,0	1,5	106,0	1,5	171,0	5,0	38,9	24,4	42,0	1024,9	6806,0
MAR 1050	40,0	1,0	50,0	100,0	70,0	1,0	130,0	2,0	180,0	5,0	42,1	24,36	50,0	1218,0	7353,0
MAR 1200	40,0	1,0	79,0	130,0	70,0	1,0	159,0	2,0	210,0	4,0	53,9	24,36	1027,7	2501,8	9417,0
MAR 1300	40,0	1,0	86,0	150,0	70,0	1,0	166,0	2,0	230,0	4,0	59,3	24,36	129,0	3142,4	10362,0
MAR 1400	40,0	1,0	64,0	120,0	80,0	1,5	144,0	2,0	200,0	4,0	48,9	27,52	76,8	2113,5	9651,0
MAR 1500	40,0	1,0	64,0	160,0	80,0	1,5	144,0	2,0	240,0	5,0	56,9	27,84	102,4	2850,8	11362,0
MAR 1600	45,0	1,0	45,0	145,0	95,0	1,5	135,0	2,0	235,0	4,0	51,6	36,77	65,3	2398,9	13624,0
MAR 1725	63,5	1,0	38,1	97,8	90,0	1,5	165,1	2,0	224,8	4,0	46,8	49,72	37,3	1852,7	16699,0
MAR 1800	33,0	1,0	75,0	240,0	60,0	1,0	141,0	2,0	306,0	5,0	72,5	17,03	180,0	3065,0	8864,0
MAR 2000	60,0	1,0	60,0	150,0	35,0	0,5	180,0	2,0	270,0	3,0	60,3	18,06	90,0	1625,4	7822,0
MAR 2950	28,0	1,0	78,0	128,0	120,0	1,5	134,0	2,0	184,0	3,0	49,7	29,2	99,8	2915,2	10419,0
MAR 10000	75,0	1,0	50,0	150,0	144,0	1,5	200,0	2,0	300,0	5,0	62,9	92,88	75,0	6966,0	41923,0
MAR 25000	80,0	1,0	60,0	180,0	80,0	1,5	220,0	2,0	340,0	5,0	72,6	55,04	108,0	5944,3	28694,0
MAR 30000	75,0	1,0	72,0	385,0	75,0	1,0	222,0	2,0	535,0	5,0	114,4	48,38	277,2	13409,6	39748,0